REVERSIBLE TILE INSERT



TT1-60



Technical Specifications

Code	Length	Outlet Diameter	Height	Standard	Custom
TT1- 60 x 20 - 800 - 304.80	800	50	22	~	
TT1- 60 x 20 - 800 - 316.80	800	50	22		~
TT1- 60 x 20 - 850 - 304.80	850	50	22	~	
TT1- 60 x 20 - 850 - 316.80	850	50	22		~
TT1- 60 x 20 - 900 - 304.80	900	50	22	~	
TT1- 60 x 20 - 900 - 316.80	900	50	22		~
TT1- 60 x 20 - 950 - 304.80	950	50	22	~	
TT1- 60 x 20 - 950 - 316.80	950	50	22		~
TT1- 60 x 20 - 1000 - 304.80	1000	50	22	~	
TT1- 60 x 20 - 1000 - 316.80	1000	50	22		· .

- Stainless Steel 304, 316
- 100% leak tested
- WATERMARK certified
- Welded design
- Brushed finish
- · All custom lengths available

For more information on linear drains and grates, contact us

1800 739 268 l hello@eindustrialengineering.com Unit 20, 60-62 Newton Road, Wetherill Park NSW 2164





REVERSIBLE TILE INSERT

■ ■ ■ INDUSTRIAL ENGINEERING

TT1-85



Technical Specifications

Code	Length	Outlet Diameter	Height	Standard	Custom
TT1- 85 x 20 - 800 - 304.80	800	75	22	~	
TT1- 85 x 20 - 800 - 316.80	800	75	22		~
TT1- 85 x 20 - 850 - 304.80	850	75	22	~	
TT1- 85 x 20 - 850 - 316.80	850	75	22		~
TT1- 85 x 20 - 900 - 304.80	900	75	22	~	
TT1- 85 x 20 - 900 - 316.80	900	75	22		~
TT1- 85 x 20 - 950 - 304.80	950	75	22	~	
TT1- 85 x 20 - 950 - 316.80	950	75	22		~
TT1- 85 x 20 - 1000 - 304.80	1000	75	22	~	
TT1- 85 x 20 - 1000 - 316.80	1000	75	22		· .

- Stainless Steel 304, 316
- 100% leak tested
- WATERMARK certified
- Welded design
- Brushed finish
- All custom lengths available

For more information on linear drains and grates, contact us

1800 739 268 I hello@eindustrialengineering.com Unit 20, 60-62 Newton Road, Wetherill Park NSW 2164





REVERSIBLE TILE INSERT

E INDUSTRIAL ENGINEERING

TT1-100



Technical Specifications

Code	Length	Outlet Diameter	Height	Standard	Custom
TT1- 100 x 20 - 800 - 304.80	800	75	22	~	
TT1- 100 x 20 - 800 - 316.80	800	75	22		~
TT1- 100 x 20 - 850 - 304.80	850	75	22	~	
TT1- 100 x 20 - 850 - 316.80	850	75	22		~
TT1- 100 x 20 - 900 - 304.80	900	75	22	~	
TT1- 100 x 20 - 900 - 316.80	900	75	22		~
TT1- 100 x 20 - 950 - 304.80	950	75	22	~	
TT1- 100 x 20 - 950 - 316.80	950	75	22		~
TT1- 100 x 20 - 1000 - 304.80	1000	75	22	~	
TT1- 100 x 20 - 1000 - 316.80	1000	75	22		~

- Stainless Steel 304, 316
- 100% leak tested
- WATERMARK certified
- Welded design
- Brushed finish
- · All custom lengths available

For more information on linear drains and grates, contact us

1800 739 268 I hello@eindustrialengineering.com Unit 20, 60-62 Newton Road, Wetherill Park NSW 2164



